

C9 Aromatic Solvent [C9]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear			Visual
Density @ 15°C	0.868	0.878		ASTM D1298
Distillation range				
IBP	160		°C	ASTM D1078
DP		180	°C	ASTM D1078
Colour		30	APHA	ASTM D156
Abel Flash	40		°C	IP 170
Aromatics	98		% wt	GC

Issue Date- January 2011