

Cyclohexane [CYX]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear	Liquid		Visual
Purity	99.0		% wt	GC
Aromatics content		150	ppm	GC
Sulphur content		1	ppm	ASTM D5453
Water content		30	ppm	ASTM D1744
Distillation range				
IBP	79.6		°C	ASTM D1078
DP		81.8	°C	ASTM D1078

Issue Date- January 2011