

Cyclohexanone [CYC]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear			Visual
Purity	99.8		% wt	GC
Density	0.946	0.948		ASTM D4052
Distillation Range				
IBP	153.0		°C	ASTM D1078
DP		157.0	°C	ASTM D1078
Colour		10	APHA	ASTM D1209
Water content		0.05	% wt	ASTM D1364
Acidity as Acetic Acid		0.01	% wt	ASTM D1613
Cyclohexanol		0.01	% wt	GC
Phenol		5	ppm	GC

Issue Date- January 2011