

Di Ethylene Glycol [DEG]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear			Visual
Purity	99.75		% wt	GC
Density @ 20/20°C	1.117	1.120	°C	ASTM D4052
Distillation Range				
IBP	243.0		°C	ASTM D1078
DP		248.0	°C	ASTM D1078
Colour		10	Hazen	ASTM D1209
Acidity as Acetic Acid		0.01	% wt	ASTM D1613
Iron Content		1	ppm	ASTM D202

Issue Date- January 2011