

Methyl Ethyl Ketone [MEK]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear			Visual
Colour		10	Pt/Co	ASTM D1209
Suspended Matter	Free			Visual
Density @ 20°C	0.805	0.807	g/ml	ASTM D4052
Water Content		0.1	% wt	ASTM D1364
Distillation Range				
IBP	78.5		°C	ASTM D1078
DP		81.0	°C	ASTM D1078
Acidity as Acetic Acid		0.003	% wt	ASTM D1613
Purity	99.5		% wt	GC
Non-volatile Matter		0.003	% wt	ASTM D1353
Alcohol as sec. butanol		0.5	% wt	GC

Issue Date- January 2011