

Mono Ethylene Glycol [MEG]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear			Visual
Purity	99.8		% wt	ASTM E202
Density @ 20°C	1.114	1.116	g/ml	ASTM D4052
Distillation Range				
IBP	193.0		°C	ASTM D1078
DP		204.0	°C	ASTM D1078
Water Content		0.2	% wt	ASTM E202
Acidity as Acetic Acid		0.005	% wt	ASTM E202
Colour		10	Hazen	ASTM D1209
DEG		0.2	% wt	ASTM E202
Iron		1.0	ppm	ASTM E202

Issue Date- January 2011