

Tri Ethylene Glycol [TEG]

Test Description	Specification Limits		Unit of Measure	Test Method
	Minimum	Maximum		
Appearance	Clear			Visual
Purity	99.5		% wt	GC
Density @ 20°C	1.121	1.126		ASTM D4052
Distillation Range				
IBP	275		°C	ASTM D1078
DP		305	°C	ASTM D1078
Colour		40	Hazen	ASTM D1209
Water Content		0.2	% wt	ASTM D1064
Acidity as Acetic Acid		0.005	% wt	ASTM E202
Ash Content		0.005	% wt	ASTM D482

Issue Date- January 2011